DRAFT ENVIRONMENTAL IMPACT STATEMENT U.S. DEPARTMENT OF TRANSPORTATION SECTION 303(c) and SECTION 106 of the NATIONAL HISTORIC PRESERVATION ACT EVALUATION

U.S. DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION

May 2008

This Draft Environmental Impact Statement (Draft EIS) addresses the environmental impacts associated with replacement of Runway 10R/28L, development of a new passenger terminal, and other associated airport projects at Port Columbus International Airport in the City of Columbus, Ohio. This statement is submitted for review pursuant to major environmental directives to comply with NEPA: Section 102(2)(c) of the National Environmental Policy Act of 1969 (P.L. 91-190); Section 106 consultation for impacts to historic structures, as identified in 36 CFR 800.8, *Coordination with the National Environmental Policy Act*; U.S. Department of Transportation Section 303(c) consultation; and other applicable Federal and state environmental laws, regulations, Executive Orders, and statutes.

The Columbus Regional Airport Authority, the owner and operator of the Port Columbus International Airport, has submitted a proposed project for approval. This Draft EIS assesses the potential impacts that may result from the Sponsor's Proposed Project to replace Runway 10R/28L with a 10,113-foot runway located 702 feet south of the existing runway; construct a new passenger terminal in the midfield area; to implement the recommendations of the 2007 Final Part 150 Study Update; and to develop support infrastructure for the other elements of the Sponsor's Proposed Project.

This Draft EIS also assesses the connected actions to decommission existing Runway 10R/28L, which will be converted into a taxiway; assess the reconstruction of the Airport Golf Course; acquire 36 residential properties located on East 13th Avenue and to relocate the residents of those properties; and the demolition of various structures in the south airfield area.

The Federal Aviation Administration is the lead agency for the Federal government in the preparation of this statement. This document is used to provide the basis for findings for subsequent determinations on funding.





For additional information, contact:

Ms. Katherine S. Jones Federal Aviation Administration Detroit Airports District Office 11677 South Wayne Road Suite 107

Romulus, MI 48174

TABLE OF CONTENTS

CLIAD	TED ONE DACKED	PAGE
1.1	TER ONE – BACKGRO	<u>อัดฟิ</u> ion1-2
1.2	•	
1.3		
1.3		
	· ·	
1.5		oordination1-8
1.6	Part 150 Noise Comp	atibility Study Update1-9
	<u>TER TWO – PURPOS</u>	
2.1	Purpose and Need fo	r FAA Actions2-2
2.2	Sponsor's Proposed A	Action2-9
2.2	1 Airfield Developm	ent 2-10
2.2	2 Passenger Termin	al Development2-13
2.2	3 Other On–Airport	Development Projects2-15
2.2	4 Other Off–Airport	Development Projects 2-16
2.2	5 Implementation o	f Proposed Noise Abatement and Associated Land
	Use Mitigation N	Measures Proposed in this EIS and the Updated
	Noise Compatib	ility Program2-16
2.3	Federal Actions	2-18
2.4	Time Frame for Fede	ral Actions2-19
2.5	Independent Utility of	f Other Airport Development Projects 2-22
2.6	Funding	
CHAP	TER THREE – ALTER	NATIVES
3.1		kground 3-1
3.2		s
3.3	•	3-3
		orts
3.3	•	ansportation and/or Telecommunications 3-11
3.4		
3.4		elopment Alternatives 3-17
3.4		s
3.4	· ·	d-Management Alternatives
3.4	•	nent Alternatives 3-21
3.4	•	nent Alternatives Screening Results
3.4	•	ment Alternatives

CHAE	PTER THREE – ALTERNA	PAGE
3.5		atives
3.5		rogram Scenario 1 (NCP 1) 3-57
3.5		rogram Scenario 2 (NCP 2) 3-58
3.5		rogram Scenario 3 (NCP 3) 3-59
3.5		rogram Scenario 4 (NCP 4) 3-60
3.6		onmentally Assessed
CHAF	PTER FOUR – AFFECTED	ENVIRONMENT
4.1	Airport Environs	
4.1	I.1 Study Areas	4-2
4.1	1.2 Land Use and Zoning	4-6
4.1	1.3 Noise-Sensitive Facili	ties4-9
4.1	1.4 Growth Risk/Signification	nt Development Trends 4-9
4.2	Socioeconomic Overview	v4-1C
4.2	2.1 Population Trends	4-10
4.3	Economic Growth and E	mployment 4-13
4.4	General Ecological Char	acteristics 4-16
4.4	1.1 Water Resources	4-16
4.4	1.2 Wetlands and Floodp	ains 4-18
4.4	1.3 Public Parks and Recr	eation Facilities 4-18
4.4	1.4 Endangered and Thre	atened Species of Flora and Fauna 4-19
4.4	1.5 Historic, Architectura	l, Archaeological, and Cultural Resources 4-19
4.5	Future Planning Activitie	es4-20
4.5	5.1 East Broad Street Co	ridor Study 4-20
4.5	5.2 I-670 Corridor Develo	ppment Plan 4-23
4.5	5.3 The North Central Pla	ın 4-23
4.5	5.4 The Northeast Area P	lan 4-24
4.6	Future Residential Deve	lopment Trends 4-24
4.7		4-27
4.8	Air Quality	4-31
4.8	3.1 Air Quality Status of	Franklin County 4-31
4.8	<u> </u>	ng (2006) Conditions 4-31
4.8		r Pollutant Emission Inventory 4-32
4.8		persion Analysis 4-33
CHAF	PTER FIVE – ENVIRONM	ENTAL CONSEQUENCES
5.A	Introduction	5.A-1
5.1	Noise	5.1-1

CHARTER	PAGE FIVE – ENVIRONMENTAL CONSEQUENCES, Continued
5.1.1	Noise Analysis and Impact Assessment – 2012 Conditions 5.1-1
5.1.2	Noise Analysis and Impact Assessment – 2018 Conditions5.1-29
5.1.3	Significant Noise Analysis
	mpatible Land Use
5.2.1	Existing Conditions: 2006
5.2.2	Future Conditions: 2012
5.2.3	Future Conditions: 2018
5.3 Soc	cioeconomic Impacts, Environmental Justice, and Children's
	Environmental Health and Safety Risks 5.3-1
5.3.1	Socioeconomic Impacts
5.3.2	Environmental Justice
5.3.3	Children's Environmental Health and Safety Risks5.3-39
5.4 Sec	condary (Induced) Impacts 5.4-1
5.4.1	Patterns of Population and Growth 5.4-1
5.4.2	Public Service Demands 5.4-5
5.4.3	Business and Economic Activity 5.4-9
5.5 Air	Quality 5.5-1
5.5.1	Future Conditions: 2012 5.5-1
5.5.2	Future Conditions: 2018
5.5.3	General Conformity Evaluation and SIP
	Compliance Evaluation5.5-38
5.5.4	NEPA Analysis5.5-42
5.6 Wa	ter Quality 5.6-1
5.6.1	Existing Conditions: 2006 5.6-1
5.6.2	Future Conditions: 2012
5.6.3	Future Conditions: 2018
5.7 De	partment of Transportation Section 4(f) Lands 5.7-1
5.7.1	Federal Regulations 5.7-1
5.7.2	Applicability of Section 4(f) 5.7-4
5.7.3	Existing Conditions: 2006 5.7-6
5.7.4	Future Conditions: 2012 5.7-9
5.7.5	Future Conditions: 2018
5.7.6	Section 6(f) Evaluation5.7-16
5.7.7	Conclusion
5.8 His	toric, Architectural, Archeological, and Cultural Resources 5.8-1
5.8.1	Area of Potential Effect (APE)

CHADTED	FIVE - ENVIRONMENTAL CONSEQUENCES, Continue	PAGE
5.8.2	Historic and Architectural Resources	
5.8.3	Archeological Resources	
5.8.4	Mitigation Commitments	
5.9 Fisl	h, Wildlife, and Plants	
5.9.1	Existing Conditions: 2006	
5.9.2	Future Conditions: 2012	
5.9.3	Future Conditions: 2018	
5.10 We	tlands and Streams	5.10-1
5.10.1	Methodology	5.10-1
5.10.2	Existing Conditions: 2006	
5.10.3	Future Conditions: 2012	
5.10.4	Future Conditions: 2018	5.10-7
5.10.5	Permitting and Mitigation Activities	5.10-10
5.11 Flo	odplains	5.11-1
5.11.1	Methodology	5.11-1
5.11.2	Existing Conditions: 2006	5.11-1
5.11.3	Future Conditions: 2012	5.11-3
5.11.4	Future Conditions: 2018	5.11-4
5.12 Coa	astal Resources	5.12-1
5.13 Wil	d and Scenic Rivers	5.13-1
5.14 Far	mland	5.14-1
5.14.1	Existing Conditions: 2006	5.14-1
5.14.2	Future Conditions: 2012 and 2018	5.14-1
5.15 Nat	tural Resources and Energy Supply	5.15-1
5.15.1	Regulatory Setting	5.15-1
5.15.2	Existing Conditions: 2006	5.15-2
5.15.3	Future Conditions: 2012	5.15-4
5.15.4	Energy Supply Impact Analysis – 2018 Conditions	5.15-10
5.15.5	Local Coordination	5.15-15
5.16 Lig	ht Emissions	5.16-1
5.16.1	Regulatory Setting	5.16-1
5.16.2	Existing Conditions: 2006	5.16-2
5.16.3	Future Conditions: 2012	5.16-12
5.16.4	Future Conditions: 2018	5.16-19
5.16.5	Visual Impacts	5.16-19
5.17 Hat	zardous Materials, Pollution Prevention, and Solid Waste.	5.17-1

СПУВ	TER FIVE – ENVIRONMENTAL CONSEQUENCES, Continued	<u>PAGE</u>
5.17		5 17-1
5.17		
5.17		
5.18		
	•	
5.18	3	
5.18		
5.18	8.3 Future Conditions: 2018	5.18-18
	TER SIX – SUMMARY OF IMPACTS AND MITIGATION	
6.1	Summary of Impacts	
6.1.	· · · · · · · · · · · · · · · · · · ·	
6.1.		
6.1.	- · · · J	
6.1.		
6.1.	,	
6.1.	3	6-3
6.1.	.7 Farmlands, Floodplains, Wild and Scenic Rivers, and Coastal Resources	4 2
6.1.		
6.1.		
6.1.	·	
6.1.	·	
6.1.		
6.1.	93 11 3	
6.2	Summary of Mitigation	
6.2.	.1 Noise and Compatible Land Use	6-9
6.2.		
6.2.	.3 Wetlands and Streams	6-9
6.2.	.	
6.2.	·	
6.2.		
6.2.		
6.2.	.8 Construction	6-10
CHAP ⁷	TER SEVEN – CUMULATIVE IMPACTS	
7.1	Introduction	7-1
7.2	Regulatory Overview	7-1
7.3	Identification of Pertinent Past, Present, and Reasonably	
	Foreseeable Future Actions	7-2
7.3.	.1 Past Projects	7-2
7.3.		
7.3.	•	
7.4	Baseline for Incremental Increases in Adverse Effects	

		<u>PAGE</u>
CHAPT	<u>ER SEVEN – CUMULATIVE IMPACTS, Continued</u>	
7.5	Cumulative Impact Comparison	7-6
7.5.1	Noise	7-6
7.5.2	Compatible Land Use	7-7
7.5.3		7-7
7.5.4		7-8
7.5.5	Dot Section 4(f) (Recodified as 303c) Lands	7-8
7.5.6	Historical, Architectural, Archeological, & Cultural Resources	7-9
7.5.7	Wetlands and Streams	7-9
7.5.8	Natural Resources and Energy Supply	. 7-10
7.5.9	Hazardous Waste	. 7-10
7.5.1	O Construction Impacts	. 7-10
7.5.1	1 Sustainable Design and Development	. 7-11
7.6	Conclusions and Findings	. 7-11
CHAPT	ER EIGHT – LIST OF PREPARERS, AGENCIES, AND PERSON	<u> 1S</u>
	TO WHOM COPIES ARE SENT	
8.1	List of Preparers	8-1
8.2	Document Distribution List	8-6

APPENDICES

APPENDIX A	AGENCY SCOPING AND COORDINATION
APPENDIX B	PUBLIC INVOLVEMENT
APPENDIX C	AVIATION ACTIVITY FORECAST
APPENDIX D	NOISE
APPENDIX E	AIR QUALITY
APPENDIX F	GEOGRAPHIC INFORMATION SYSTEM DATABASE DEVELOPMENT AND LAND USE METHODOLOGY
APPENDIX G	PROPOSED PROPERTY ACQUISITION
APPENDIX H	PRELIMINARY RELOCATION PLAN
APPENDIX I	AIRPORT GOLF COURSE
APPENDIX J	HISTORIC RESOURCES
APPENDIX K	BIOLOGICAL RESOURCES
APPENDIX L	FARMLANDS
APPENDIX M	NATURAL RESOURCES AND ENERGY SUPPLY
APPENDIX N	DEPARTMENT OF TRANSPORTATION SECTION 4(f)
APPENDIX O	COMMENTS RECEIVED
APPENDIX P	ANALYSIS OF ACCELERATED SPONSOR'S PROPOSED PROJECT ALTERNATIVE
APPENDIX Q	HAZARDOUS MATERIALS REFERENCE

Landrum & Brown Table of Contents
May 2008 Page vii

EXHIBITS

		<u>PAGE</u>
CHAPTER ONE -		
Exhibit 1-1	Existing Airport Layout	1-4
CHAPTER TWO	<u>-PURPOSE AND NEED</u>	
Exhibit 2-1	Sponsor's Proposed Project	2-11
CHAPTER THRE	E – ALTERNATIVES	
Exhibit 3-1	Alternative A: No Action	3-22
Exhibit 3-2	Alternative B1 Layout	3-24
Exhibit 3-3	Alternative B2 Layout	3-25
Exhibit 3-4	Alternative B2 - Impacts to Existing Facilities	3-27
Exhibit 3-5	Alternative C1 Layout	3-29
Exhibit 3-6	Alternative C1 - Impacts to Existing Facilities	3-31
Exhibit 3-7	Alternative C2 Layout	
Exhibit 3-8	Alternative C2 - Impacts to Existing Facilities	3-35
Exhibit 3-9	Alternative C3 Layout	3-37
Exhibit 3-10	Alternative C3 - Impacts to Existing Facilities	3-39
Exhibit 3-11	Alternative T1 - Maximize Existing Terminal Envelope	3-53
Exhibit 3-12	Alternative T2 - Sponsor's Proposed Project	3-55
Exhibit 3-13	Alternative T3 - Midfield Terminal Envelope	
	- North Airfield	
Exhibit 3-14	Alternative C2 Layout	
Exhibit 3-15	Alternative C3 Layout (Sponsor's Proposed Project)	3-64
CHAPTER FOUR	- AFFECTED ENVIRONMENT	
Exhibit 4-1	Airport Regional Location	4-3
Exhibit 4-2	General Study Area	4-4
Exhibit 4-3	Detailed Study Area	4-5
Exhibit 4-4	Generalized Zoning	4-7
Exhibit 4-5	Existing Land Use	4-8
Exhibit 4-6	Noise-Sensitive Facilities	4-11
Exhibit 4-7	General Ecological Characteristics in the Detailed	
	Study Area	4-17
Exhibit 4-8	Historic Resources	4-21
Exhibit 4-9	Future Planning Activity Areas	4-22
Exhibit 4-10	Proposed Airport Land Use Management District	4-25
Exhibit 4-11	Future Residential Development Areas	4-26
Exhibit 4-12	Existing (2006) Baseline Noise Exposure Contour	4-28
Exhibit 4-13	Fenceline and Community Grid Receptors for 2006	
	Existing Conditions	4-35
Exhibit 4-14	2006 Existing Conditions Terminal Area Dispersion	
	Receptor Locations	4-36

		<u>PAGE</u>
CHAPTER FIVE	<u>– SECTION ONE - NOISE</u>	
Exhibit 5.1-1	Existing Airport Layout	5.1-3
Exhibit 5.1-2	Ground Runup Locations	5.1-10
Exhibit 5.1-3	2012 Alternative A: No Action Noise Exposure Contour	5.1-12
Exhibit 5.1-4	2012 Alternative C2a Proposed Airport Layout	5.1-14
Exhibit 5.1-5	2012 Alternative C2a Noise Exposure Contour	5.1-15
Exhibit 5.1-6	2012 Alternative C2b Noise Exposure Contour	5.1-20
Exhibit 5.1-7	2012 Alternative C3a Proposed Airport Layout	5.1-22
Exhibit 5.1-8	2012 Alternative C3a Noise Exposure Contour	5.1-24
Exhibit 5.1-9	2012 Alternative C3b Noise Exposure Contour	5.1-28
Exhibit 5.1-10	2018 Alternative A: No Action Noise Exposure Contour	5.1-34
Exhibit 5.1-11	2018 Alternative C2a Proposed Airport Layout	5.1-36
Exhibit 5.1-12	2018 Alternative C2a Noise Exposure Contour	5.1-39
Exhibit 5.1-13	2018 Alternative C2b Noise Exposure Contour	5.1-42
Exhibit 5.1-14	2018 Alternative C3a Proposed Airport Layout	5.1-45
Exhibit 5.1-15	2018 Alternative C3a Noise Exposure Contour	5.1-46
Exhibit 5.1-16	2018 Alternative C3b Noise Exposure Contour	5.1-49
Exhibit 5.1-17	Area of 3 dB Increase Within the 60 - 65 DNL,	
	2012 Alternative C2a	5.1-54
Exhibit 5.1-18	Area of 3 dB Increase Within the 60 - 65 DNL,	
5 1 U U 5 4 40	2018 Alternative C2a	5.1-55
Exhibit 5.1-19	Area of 3 dB Increase Within the 60 - 65 DNL,	F 4 F (
F 1 11 11 F 4 00	2012 Alternative C2b	5.1-56
Exhibit 5.1-20	Area of 3 dB Increase Within the 60 - 65 DNL,	F 4 F 7
E 1 11 11 E 4 04	2018 Alternative C2b	5.1-5/
Exhibit 5.1-21	Area of 3 dB Increase Within the 60 - 65 DNL,	F 4 F0
	2012 Alternative C3a	5.1-58
Exhibit 5.1-22	Area of 3 dB Increase Within the 60 - 65 DNL,	F 1 (O
Fybibit F 1 00	2018 Alternative C3a	5.1-60
Exhibit 5.1-23	Area of 3 dB Increase Within the 60 - 65 DNL, 2012 Alternative C3b	E 1 41
Evhibit E 1 24	Area of 3 dB Increase Within the 60 - 65 DNL,	5.1-61
Exhibit 5.1-24	2018 Alternative C3b	E 1 42
	2016 Alternative CSb	5.1-02
	- SECTION TWO - COMPATIBLE LAND USE	
Exhibit 5.2-1	Generalized Land Use	
Exhibit 5.2-2	Existing Noise-Sensitive Public Facilities	5.2-6
Exhibit 5.2-3	2012 Alternative C2a –	
= -	Proposed Sound Insulation Boundary	5.2-21
Exhibit 5.2-4	2012 Alternative C2b –	
	Proposed Sound Insulation Boundary	5.2-25

		<u>PAGE</u>
CHAPTER FIV	E – SECTION TWO – COMPATIBLE LAND USE, Co	ontinued
Exhibit 5.2-5	2012 Alternative C3a –	
	Proposed Sound Insulation Boundary	5.2-29
Exhibit 5.2-6	2012 Alternative C3b -	
	Proposed Sound Insulation Boundary	5.2-33
CHAPTER FIV	E - SECTION THREE - SOCIOECONOMIC IMPAC	TS,
	ENVIRONMENTAL JUSTICE, AND CHILDREN	<u>'S</u>
	ENVIRONMENTAL HEALTH AND SAFETY RIS	KS
Exhibit 5.3-1	Assessment Area of East Columbus Neighborhood	
Exhibit 5.3-2	Alternative C2a/b Area of Acquisition	5.3-4
Exhibit 5.3-3	Alternative C3a/b Area of Acquisition	5.3-10
Exhibit 5.3-4	Existing Businesses	5.3-12
Exhibit 5.3-5	Alternative C2a/b Impacts to Existing Businesses	5.3-13
Exhibit 5.3-6	Potential Stelzer Road Realignments	
Exhibit 5.3-7	2012 Alternative A Noise Contour	5.3-23
Exhibit 5.3-8	2012 Alternative C2a Noise Contour with Areas	
	of Significant Increase	5.3-25
Exhibit 5.3-9	2012 Alternative C2b Noise Contour with Areas	
	of Significant Increase	5.3-27
Exhibit 5.3-10	2012 Alternative C3a Noise Contour with Areas	
	of Significant Increase	5.3-29
Exhibit 5.3-11	2012 Alternative C3b Noise Contour with Areas	
	of Significant Increase	5.3-31
Exhibit 5.3-12	2018 Alternative A Noise Contour	5.3-33
Exhibit 5.3-13	2018 Alternative C2a Noise Contour with Areas	
	of Significant Increase	5.3-35
Exhibit 5.3-14	2018 Alternative C2b Noise Contour with Areas	
	of Significant Increase	5.3-37
Exhibit 5.3-15	2018 Alternative C3a Noise Contour with Areas	
	of Significant Increase	5.3-38
Exhibit 5.3-16	2018 Alternative C3b Noise Contour with Areas of	
	Significant Increase	5.3-40
CHAPTER FIVE	E - SECTION FIVE - AIR QUALITY	
Exhibit 5.5-1	All Years, All Alternatives Airport and	
	Community Sensitive Receptor Locations	5.5-4
Exhibit 5.5-2	2012 and 2018 No Action and 2012 Project Alternative	
	Terminal Area Dispersion Receptor Locations	
Exhibit 5.5-3	2018 Project Alternatives Terminal Area Dispersion	
	Recentor Locations	5 5-27

		PAGE
	E – SECTION SIX – WATER QUALITY	
Exhibit 5.6-1	Drainage Area Boundaries and	
	Existing Outfall Locations	. 5.6-3
Exhibit 5.6-2	Subwatershed Boundaries for the	
	CMH Receiving Streams	. 5.6-4
CHAPTER FIVE	E – SECTION SEVEN – DEPARTMENT OF	
	TION SECTION 4(f) LANDS	
Exhibit 5.7-1	Section 4(f), 6(f), and Historic Sites	
Exhibit 5.7-2	Existing Airport Golf Course Layout	
Exhibit 5.7-3	Redesigned Airport Golf Course	5.7-12
Exhibit 5.7-4	2012 No Action and 2012 Alternative	
	C3b 65 DNL Noise Contours	5.7-18
CHAPTER FIVE	= - SECTION EIGHT - HISTORIC, ARCHITECTURAL,	L
	ARCHAEOLOGICAL, AND CULTURAL RESOURCE	<u>S</u>
Exhibit 5.8-1	Area of Potential Effect-Direct Impacts	. 5.8-3
Exhibit 5.8-2	Area of Potential Effect-Indirect Impacts	. 5.8-4
Exhibit 5.8-3	Location of Historic Structures within the Area of	
	Potential Effect	. 5.8-7
Exhibit 5.8-4	Archeological Field Work	5.8-17
CHAPTER FIVE	E - SECTION NINE - FISH, WILDLIFE, PLANTS	
Exhibit 5.9-1	Existing Biotic Habitat	. 5.9-3
CHAPTER FIVE	E – SECTION TEN – WETLANDS AND STREAMS	
Exhibit 5.10-1	Existing Wetlands in the Detailed Study Area	5.10-2
Exhibit 5.10-2	Wetland and Stream Impacts	5.10-4
CHAPTER FIVE	E - SECTION ELEVEN - FLOODPLAINS	
Exhibit 5.11-1	100-Year Floodplains	5.11-2
CHAPTER FIVE	E – SECTION FOURTEEN – FARMLAND	
Exhibit 5.14-1	Undeveloped Land in the Detailed Study Area	5.14-2
CHAPTER FIVE	E - SECTION SIXTEEN - LIGHT EMISSIONS	
Exhibit 5.16-1	MALSR Lighting System	5.16-4
Exhibit 5.16-2	PAPI Lighting System	5.16-6
Exhibit 5.16-3	Runway End 10L Lighting Equipment	5.16-8
Exhibit 5.16-4	Runway End 10R Lighting Equipment	5.16-9
Exhibit 5.16-5	Runway End 28R Lighting Equipment5	.16-10
Exhibit 5.16-6	Runway End 28L Lighting Equipment5	.16-11
Exhibit 5.16-7	Runway 10X (Alternative C2) MALSR	
	and PAPI Locations5	.16-13

	<u>PAGE</u>
CHAPTER FIVE	E - SECTION SIXTEEN - LIGHT EMISSIONS, Continued
Exhibit 5.16-8	Runway 28X (Alternative C2) MALSR Location5.16-14
Exhibit 5.16-9	Runway 10X (Alternative C3) MALSR
	and PAPI Locations5.16-17
Exhibit 5.16-10	Runway 28X (Alternative C3) MALSR Location 5.16-18
CHAPTER FIVE	= - SECTION SEVENTEEN - HAZARDOUS MATERIALS,
	POLLUTION PREVENTION, AND SOLID WASTE
Exhibit 5.17-1	Hazardous Materials Survey Areas5.17-3
Exhibit 5.17-2	Hazardous Materials Sites
CHAPTER FIVE	= - SECTION EIGHTEEN - CONSTRUCTION IMPACTS
Exhibit 5.18-1	Existing Construction Activities
Exhibit 5.18-2	2012 and 2018 Alternative C2,
	Proposed Construction Activities5.18-4
Exhibit 5.18-3	2012 and 2018 Alternative C2,
	Proposed Demolition and Relocation Activities5.18-6
Exhibit 5.18-4	2012 and 2018 Alternative C3,
	Proposed Construction Activities5.18-14
Exhibit 5.18-5	2012 and 2018 Alternative C3,
	Proposed Demolition and Relocation Activities 5.18-15
APPENDIX D -	- NOISE
Exhibit D-1	Example of Addition of Two Decibel Levels
Exhibit D-2	Example of Sound Level Averaging
Exhibit D-3	Comparison of Different Types of Sound
Exhibit D-4	Relationship Among Sound Metrics D-13
Exhibit D-5	INM East-Flow Jet Tracks – Existing (2006) Baseline D-23
Exhibit D-6	INM East-Flow Regional Jet Tracks –
	Existing (2006) Baseline D-25
Exhibit D-7	INM East-Flow Prop Tracks –
	Existing (2006) Baseline D-27
Exhibit D-8	INM West-Flow Jet Tracks – Existing (2006) Baseline D-29
Exhibit D-9	INM West-Flow Regional Jet Tracks –
Eviliate D. 10	Existing (2006) Baseline
Exhibit D-10	INM West-Flow Prop Tracks – Existing (2006) Baseline D-33
Exhibit D-11	INM Touch-and-Go Tracks
Exhibit D-12	INM East-Flow Jet Tracks – 2012 Alternative C2a D-47
Exhibit D-13	INM East-Flow Regional Jet Tracks –
Cybibit D 14	2012 Alternative C2a
Exhibit D-14	INIVICAST-FIOW PLOD TIACKS - ZUTZ AREINATIVE CZA D-5 I

Landrum & Brown Table of Contents
May 2008 Page xii

	PAG	<u> ξΕ</u>
<u>APPENDIX D -</u>	<u>– NOISE, Continued</u>	
Exhibit D-15	INM West-Flow Large Jet Tracks –	
	2012 Alternative C2a	53
Exhibit D-16	INM West-Flow Regional Jet Tracks –	
	2012 Alternative C2a	55
Exhibit D-17	INM West-Flow Prop Tracks – 2012 Alternative C2a D-5	57
Exhibit D-18	Proposed NCP Flight Tracks D-6	
Exhibit D-19	INM East-Flow Jet Tracks – 2012 Alternative C3a D-6	59
Exhibit D-20	INM East-Flow Regional Jet Tracks –	
	2012 Alternative C3aD-7	
Exhibit D-21	INM East-Flow Prop Tracks – 2012 Alternative C3a D-7	73
Exhibit D-22	INM West-Flow Jet Tracks – 2012 Alternative C3a D-7	75
Exhibit D-23	INM West-Flow Regional Jet Tracks –	
	2012 Alternative C3aD-7	77
Exhibit D-24	INM West-Flow Prop Tracks – 2012 Alternative C3a D-7	79
Exhibit D-25	Noise-Sensitive Facilities Grid Point Location Map D-10)1
Exhibit D-26	Regularly Spaced Grid Location Map D-11	11
APPENDIX E-	AIR QUALITY	
Exhibit E-1	Central Ohio Air Quality Monitoring Sites	
Exhibit E-2a	Generalized Arrival Taxi Paths to	
	Terminal Gate for 2006 Existing Conditions	
Exhibit E-2b	Generalized Arrival Taxi Paths to	
	General Aviation Gate for 2006 Existing Conditions	
Exhibit E-2c	Generalized Arrival Taxi Paths to	
	Corporate Gate for 2006 Existing Conditions	
Exhibit E-2d	Generalized Departure Taxi Paths from	
	Terminal Gate for 2006 Existing Conditions	
Exhibit E-2e	Generalized Departure Taxi Paths from	
	General Aviation Gate for 2006 Existing Conditions	
Exhibit E-2f	Generalized Departure Taxi Paths from	
	Corporate Gate for 2006 Existing Conditions	
Exhibit E-3a	Generalized Arrival Taxi Paths to Terminal Gate for 2012	
	and 2018 Alternative A: No Action and 2012 Runway	
	Development Alternatives, and 2012 and 2018	
	Accelerated Alternative A: No Action	
Exhibit E-3b	Generalized Arrival Taxi Paths to General Aviation Gate for	
	2012 and 2018 Alternative A: No Action and 2012 Runway	
	Development Alternatives, and 2012 and 2018 Accelerated Alternative A: No Action	
	ACCERTATED ATTENDATIVE A. NO ACTION	

Landrum & Brown Table of Contents
May 2008 Page xiii

APPENDIX E- AIR QUALITY, Continued		
Exhibit E-3c	Generalized Arrival Taxi Paths to Corporate Gate for 2012	
	and 2018 Alternative A: No Action and 2012 Runway	
	Development Alternatives, and 2012 and 2018	

Accelerated Alternative A: No Action

Exhibit E-3d Generalized Departure Taxi Paths from Terminal Gate for 2012 and 2018 Alternative A: No Action and 2012 Runway Development Alternatives, and 2012 and 2018 Accelerated Alternative A: No Action

Exhibit E-3e Generalized Departure Taxi Paths from General Aviation Gate for 2012 and 2018 Alternative A: No Action and 2012 Runway Development Alternatives, and 2012 and 2018

Accelerated Alternative A: No Action

Exhibit E-3f Generalized Departure Taxi Paths from Corporate Gate for 2012 and 2018 Alternative A: No Action and 2012 Runway Development Alternatives, and 2012 and 2018 Accelerated Alternative A: No Action

Exhibit E-4a Generalized Arrival Taxi Paths to Existing Terminal Gate for 2018 Runway Development Alternatives, and 2012 and 2018 Accelerated Alternative

Sponsor's Proposed Project

Exhibit E-4b Generalized Arrival Taxi Paths to Proposed Midfield Terminal
Gate for 2018 Runway Development Alternatives, and
2012 and 2018 Accelerated
Sponsor's Proposed Project

Exhibit E-4c Generalized Arrival Taxi Paths to General Aviation Gate for 2018 Runway Development Alternatives, and 2012 and 2018 Accelerated Sponsor's Proposed Project

Exhibit E-4d Generalized Arrival Taxi Paths to Corporate Gate for 2018 Runway Development Alternatives, and 2012 and 2018 Accelerated Sponsor's Proposed Project

Exhibit E-4e Generalized Departure Taxi Paths from Existing Terminal
Gate for 2018 Runway Development Alternatives, and
2012 and 2018 Accelerated Sponsor's Proposed
Project

Exhibit E-4f

Generalized Departure Taxi Paths from Proposed

Midfield Terminal Gate for 2018 Runway

Development Alternatives, and 2012 and 2018

Accelerated Sponsor's Proposed Project

Landrum & Brown Table of Contents
May 2008 Page xiv

APPENDIX	E-AIR QUALITY	, Continued

Exhibit E-4g	Generalized Departure Taxi Paths from General Aviation
_	Gate for 2018 Runway Development Alternatives,
	and 2012 and 2018 Accelerated
	Sponsor's Proposed Project
Exhibit E-4h	Generalized Departure Taxi Paths from Corporate Gate for
	2018 Runway Development Alternatives, and 2012
	and 2018 Accelerated Sponsor's Proposed Project
Exhibit E-5	Parking Lots and Garages for 2006 Existing Condition
Exhibit E-6	Parking Lots and Garages for 2012 and 2018
	Alternative A: No Action and 2012 Runway
	Development Alternatives, and 2012
	Accelerated Alternative A: No Action
Exhibit E-7	Parking Lots and Garages for 2018 Runway
	Development Alternatives, and 2012 and 2018
	Accelerated Sponsor's Proposed Project
Exhibit E-8a	Roadways for 2006 Existing Conditions
Exhibit E-8b	Roadway Traffic Counts for 2006 Existing Conditions
Exhibit E-9a	Generalized Roadway Segments for 2012 and 2018
	Alternative A: No Action and 2012 Runway
	Development Alternatives, and 2012
	Accelerated Alternative A: No Action
Exhibit E-9b	Roadway Traffic Counts for 2012 Alternative A: No Action
Exhibit E-9c	Roadway Traffic Counts for 2012 Runway
	Development Alternatives
Exhibit E-9d	Roadway Traffic Counts for 2012 Accelerated
	Sponsor's Proposed Project
Exhibit E-9e	Roadway Traffic Counts for 2018 Alternative A: No Action
Exhibit E-10a	Generalized Roadway Segments for 2018 Runway
	Development Alternatives and Accelerated
	Sponsor's Proposed Project for 2012 and 2018
Exhibit E-10b	Roadway Traffic Counts for 2018 Runway
E E . 40	Development Alternatives
Exhibit E-10c	Roadway Traffic Counts for 2018 Accelerated
Exhibit E-10d	Sponsor's Proposed Project Roadway Traffic Counts for 2012 Accelerated
EXHIBIT E TOG	Sponsor's Proposed Project
Exhibit E-11	Stationary Sources for 2006 Existing Conditions
Exhibit E-12	Stationary Sources for 2012 and 2018 Alternative A:
	No Action and 2012 Runway Development Alternatives,
	and 2012 Accelerated Alternative A: No Action

Landrum & Brown Table of Contents
May 2008 Page xv

	PAGE
APPENDIX E-	AIR QUALITY, Continued
Exhibit E-13	Stationary Sources for 2018 Runway Development
	Alternatives, and 2012 and 2018 Accelerated
	Sponsor's Proposed Project
Exhibit E-14a	Construction Impacts for All 2012 and 2018
	Runway Development Alternatives, and 2012
	and 2018 Accelerated Sponsor's Proposed Project
Exhibit E-14b	Additional Construction Impacts for 2012 and 2018
	Runway Development Alternatives (C2a and C2b)
Exhibit E-14c	Additional Construction Impacts for 2012 and 2018
	Runway Development Alternatives (C3a and C3b)
Exhibit E-15	Location of Generalized Aircraft Gate Areas for
	Computer Modeling for 2006 Existing Conditions,
	2012 and 2018 Alternative A: No Action and 2012
	Runway Development Alternatives, and for 2012 and
	2018 Accelerated Alternative A: No Action
Exhibit E-16	Location of Generalized Aircraft Gate Areas for Computer
	Modeling for 2012 and 2018 Runway Development
	Alternatives, and for 2012 and 2018 Accelerated
	Sponsor's Proposed Project
Exhibit E-17	Fenceline and Community Grid Receptors for 2006
	Existing Conditions
Exhibit E-18	Terminal Area Dispersion Receptor Locations for 2006
	Existing Conditions
Exhibit E-19	Terminal Area Dispersion Receptor Locations for 2012 and
	2018 Alternative A: No Action and 2012 Runway
	Development Alternatives, and for 2012 and
	2018 Accelerated Alternative A: No Action
Exhibit E-20	Terminal Area Dispersion Receptor Locations for
	2018 Runway Development Alternatives, and 2012
	and 2018 Accelerated Sponsor's Proposed Project
Exhibit E-21	Airport Fenceline and Community Sensitive Receptor
	Locations for All Years, All Alternatives
ADDENIDIVO	Dranged Drangety Agguisition
Exhibit G-1	- Proposed Property Acquisition Proposed RPZ Acquisition AreaG-3
APPENDIX P -	ANALYSIS OF ACCELERATED SPONSOR'S PROPOSED
E 1 11 11 B 0 4	PROJECT DE LA
Fxhihit P 2-1	2012 Accelerated Alternative A Noise Exposure Contour P-7

Landrum & Brown Table of Contents
May 2008 Page xvi

	<u>PAGE</u>
APPENDIX P	- ANALYSIS OF ACCELERATED SPONSOR'S PROPOSED
	PROJECT, Continued
Exhibit P.2-2	2012 Accelerated Sponsor's Proposed Project
	Noise Exposure Contour P-13
Exhibit P.2-3	2018 Accelerated Alternative A Noise Exposure Contour P-19
Exhibit P.2-4	2018 Accelerated Sponsor's Proposed Project
	Noise Exposure Contour P-23

TABLES

	<u>PAGE</u>
CHAPTER OF	NE - BACKGROUND
Table 1-1	Comparison of FAA Terminal Area Forecasts and Planning
	Operations Forecasts 1-7
Table 1-2	Comparison of FAA Terminal Area Forecasts and
	Planning Operations Forecasts1-8
CHAPTER TV	VO – PURPOSE AND NEED
Table 2-1	Comparison of Forecast Operations to Existing Airfield ASV 2-6
Table 2-2	Comparison of Daily VFR and IFR Average Arrival & Departure
	Times – Existing Airfield2-7
Table 2-3	Comparison of Daily VFR and IFR Average Arrival & Departure
	Times – Existing and Proposed Airfield 2-12
Table 2-4	Generalized Proposed Development Schedule 2-21
CHAPTER TH	IREE – ALTERNATIVES
Table 3-1	Primary Services Airports Serving Ohio
Table 3-2	Airport Data Sheet – Dayton International Airport 3-5
Table 3-3	Comparison of CMH/DAY Non-Stop Service 3-6
Table 3-4	Airport Data Sheet – Rickenbacker International Airport 3-8
Table 3-5	Airport Data Sheet – Bolton Field Airport 3-9
Table 3-6	Airport Data Sheet – Ohio State University Airport 3-11
Table 3-7	Comparison of Air and Road Miles – Top 10 CMH Markets 3-12
Table 3-8	Comparison of Top 10 CMH Markets Served by
	Air Versus Rail 3-15
Table 3-9	Scenario 1 Versus Future (2012) Baseline Housing 3-58
Table 3-10	Scenario 2 Versus Future (2012) Baseline Housing 3-59
Table 3-11	Scenario 3 Versus Future (2012) Baseline Housing 3-60
Table 3-12	Scenario 4 Versus Future (2012) Baseline Housing 3-61
CHAPTER FC	OUR – AFFECTED ENVIRONMENT
Table 4-1	Generalized Land Use Classifications 4-6
Table 4-2	Population Projections within the Columbus MSA 4-10
Table 4-3	Share of Regional Population by County 4-12
Table 4-4	Daily Commuter Totals to Franklin County in 2000 4-12
Table 4-5	Estimated Employment by Sector, Columbus MSA 4-14
Table 4-6	Fortune 500 Companies Headquartered in
T-1-1- 4 7	the Columbus MSA
Table 4-7	Top Employers in the Columbus MSA in 2006
Table 4-8	Areas within Existing Noise Exposure Contour
T-1-1- 4 O	(in square miles)
Table 4-9	Existing (2006) Baseline Housing, Population, and Noise- Sensitive Facility Incompatibilities

	<u>P/</u>	<u>AGE</u>
CHAPTER FO	OUR – AFFECTED ENVIRONMENT, Continued	
Table 4-10	Criteria and Precursor Pollutant Emission Inventory Existing	
	(2006) Conditions	1-32
Table 4-11	Criteria Pollutant Design Concentrations Existing	
	(2006) Conditions	1-34
CHAPTER FI	VE – ENVIRONMENTAL CONSEQUENCES	
Table 5.1-1	Average Day Operations – 2012 Alternative A 5	.1-4
Table 5.1-2	Average Day Operations by Aircraft Type –	
	2012 Alternative A 5	
Table 5.1-3	Runway End Utilization – 2012 Alternative A 5	.1-7
Table 5.1-4	Departure Trip Length Distribution – 2012 Alternative A 5	.1-8
Table 5.1-5	Ground Run-Up Operations – 2012 Alternative A: No Action 5	.1-9
Table 5.1-6	Comparison of Areas within the 2012 Alternative A Noise	
	Exposure Contour (in square miles)5.1	1-11
Table 5.1-7	Runway End Utilization – 2012 Alternative C2a5.1	1-16
Table 5.1-8	Comparison of Areas within the 2012 Alternative C2a and	
	the 2012 No Action Noise Exposure Contour5.1	I - 1 7
Table 5.1-9	Runway End Utilization – 2012 Alternative C2b5.1	1-18
Table 5.1-10	Comparison of Areas within the 2012 Alternative C2b and	
	the 2012 Alternative A Noise Exposure Contour	
	(in square miles)5.1	1-21
Table 5.1-11	Comparison of Areas within the 2012 Alternative C3a and	
	the 2012 Alternative A Noise Exposure Contour5.1	I-25
Table 5.1-12	Comparison of Areas within the 2012 Alternative C3b and	
	the 2012 Alternative A Noise Exposure Contour	
	(in square miles)5.1	
Table 5.1-13	Average Day Operations – 2018 Alternative A5.1	I-30
Table 5.1-14	Average Day Operations by Aircraft Type –	
		1-30
Table 5.1-15	Departure Trip Length Distribution – 2018 Alternative A5.1	
Table 5.1-16	Ground Run-Up Operations – 2018 Alternative A5.1	I-33
Table 5.1-17	Comparison of Areas within the 2018 Alternative A	
	Noise Exposure Contour (in square miles)5.1	
Table 5.1-18	Runway End Utilization – 2018 Alternative C2a5.1	I-37
Table 5.1-19	Comparison of Areas within the 2018 Alternative C2a and	
	the 2018 No Action Noise Exposure Contour	
	(in square miles)5.1	
Table 5.1-20	Runway End Utilization – 2018 Alternative C2b5.1	I-41

OLIADTED EL		\GE
Table 5.1-21	VE – ENVIRONMENTAL CONSEQUENCES, Continued Comparison of Areas within the 2018 Alternative C2b and	
Table 5.1-21	•	
	the 2018 Alternative A Noise Exposure Contour	12
Table 5.1-22	(in square miles)	-43
Table 5.1-22	Comparison of Areas within the 2018 Alternative A and	
	the 2018 Alternative C3a Noise Exposure Contours	47
Table 5.1-23	(in square miles)	-4/
Table 5.1-25	Comparison of Areas within the 2018 Alternative A and the 2018 Alternative C3b Noise Exposure Contours	
	·	ΕO
Table 5.1-24	(in square miles)5.1 Noise Impacts Between the 60 and 65 DNL Noise Exposure	-50
Table 5.1-24	Contours – 2012 and 2018 Alternatives5.1	52
-		
Table 5.2-1	Land Use Compatibility Guidelines - Far Part 150 5.	
Table 5.2-2	Noise-Sensitive Public Facilities	2-7
Table 5.2-3	2012 Alternative A: No Action Housing, Population, and	
T-1-1- F O 4	Noise-Sensitive Facility Incompatibilities	!-15
Table 5.2-4	Comparison of Housing, Population, and Noise-Sensitive	. 1/
	Facility Incompatibilities for 2012 Alternatives	- 16
Table 5.2-5	Housing, Population, and Noise-Sensitive Facility	. 17
Table 5.2-6	Incompatibilities – 2012 Alternative C2a	:- 1 /
Table 5.2-6	Housing, Population, and Noise-Sensitive Facility Incompatibilities – 2012 Alternative C2b5.2	່າ
Table 5.2-7	Housing, Population, and Noise-Sensitive Facility	22
Table 5.2-7	Incompatibilities – 2012 Alternative C3a5.2	2-26
Table 5.2-8	Housing, Population, and Noise-Sensitive Facility	20
Table 5.2-0	Incompatibilities – 2012 Alternative C3b5.2)-3N
Table 5.2-9	Housing, Population, and Noise-Sensitive Facility	. 50
14510 0.2 7	Incompatibilities - 2018 Alternative A: No Action5.2	-34
Table 5.2-10	Comparison of Housing, Population, and Noise-Sensitive	
	Facility Incompatibilities For 2018 Alternatives5.2	2-35
Table 5.2-11	2018 Alternative C2a Housing, Population, and Noise-	
	Sensitive Facility Incompatibilities	2-36
Table 5.2-12	Housing, Population, and Noise-Sensitive Facility	
	Incompatibilities - 2018 Alternative C2b5.2	2-38
Table 5.2-13	Housing, Population, and Noise-Sensitive Facility	
	Incompatibilities - 2018 Alternative C3a5.2	2-40
Table 5.2-14	Housing, Population, and Noise-Sensitive Facility	
	Incompatibilities - 2018 Alternative C3b5.2	2-42
Table 5.3-1	Number of Comparable Single-Family Residential Units	
	Available in Select* Franklin County Real Estate Markets 5.	3-6

		<u>PAGE</u>
	VE - ENVIRONMENTAL CONSEQUENCES, Continued	
Table 5.3-2	Average Rent Supplement Payment	5.3-7
Table 5.3-3	Percentage of Minority Residents and Average Median	
	Household Income	.5.3-21
Table 5.3-4	Noise Impacts to Minority Population Households in	
	2012 and 2018	.5.3-24
Table 5.4-1	Population Estimates, 2000 to 2030	5.4-2
Table 5.4-2	Employment Estimates, 2000 to 2030	5.4-2
Table 5.4-3	Fire Departments within the GSA	5.4-6
Table 5.4-4	Police Departments within the GSA	5.4-6
Table 5.4-5	Hospitals within the GSA	5.4-6
Table 5.5-1	2012 Alternative A EDMS Emission Inventory of Criteria	
	and Precursor Pollutants	5.5-8
Table 5.5-2	2012 Alternative A EDMS Pollutant Dispersion Analysis	
	of Criteria Pollutants	5.5-9
Table 5.5-3	2012 Alternative C2a EDMS Emission Inventory of Criteria	
	and Precursor Pollutants	.5.5-10
Table 5.5-4	2012 Alternative C2a and C2b Construction	
	Emissions Inventory	.5.5-11
Table 5.5-5	2012 Alternative C2a EDMS Pollutant Dispersion Analysis	
	of Criteria Pollutants	.5.5-12
Table 5.5-6	2012 Alternative C2b EDMS Emission Inventory of Criteria	
	and Precursor Pollutants	.5.5-13
Table 5.5-7	2012 Alternative C2b EDMS Pollutant Dispersion Analysis	
	of Criteria Pollutants	.5.5-14
Table 5.5-8	2012 Alternative C3a EDMS Emission Inventory of Criteria	
	and Precursor Pollutants	.5.5-16
Table 5.5-9	2012 Alternative C3a and C3b Construction	
	Emissions Inventory	.5.5-17
Table 5.5-10	2012 Alternative C3a EDMS Pollutant Dispersion Analysis	
	of Criteria Pollutants	.5.5-18
Table 5.5-11	2012 Alternative C3b EDMS Emission Inventory Of Criteria	
	and Precursor Pollutants	.5.5-19
Table 5.5-12	2012 Alternative C3b EDMS Pollutant Dispersion Analysis	
	of Criteria Pollutants	.5.5-20
Table 5.5-13	2018 Alternative A EDMS Emission Inventory of Criteria	
T.I. 6 - 44	and Precursor Pollutants	.5.5-22
Table 5.5-14	2018 Alternative A EDMS Pollutant Dispersion Analysis	
	of Criteria Pollutants	.5.5-23

		<u>PAGE</u>
	VE – ENVIRONMENTAL CONSEQUENCES, Continued	
Table 5.5-15	2018 Alternative C2a EDMS Emission Inventory of Criteria	
	and Precursor Pollutants5.	5-25
Table 5.5-16	2018 Alternative C2a and C2b Construction Emissions	
	Inventory5.	5-25
Table 5.5-17	2018 Alternative C2a EDMS Pollutant Dispersion Analysis	
	of Criteria Pollutants5.	5-28
Table 5.5-18	2018 Alternative C2b EDMS Emission Inventory of Criteria	
	and Precursor Pollutants5.	5-30
Table 5.5-19	2018 Alternative C2b EDMS Pollutant Dispersion Analysis	
	of Criteria Pollutants5.	5-31
Table 5.5-20	2018 Alternative C3a EDMS Emission Inventory of Criteria	
	and Precursor Pollutants5.	5-32
Table 5.5-21	2018 Alternative C3a and C3b Construction	
	Emissions Inventory5.	5-33
Table 5.5-22	2018 Alternative C3a EDMS Pollutant Dispersion Analysis	
	of Criteria Pollutants5.	5-34
Table 5.5-23	2018 Alternative C3b EDMS Emission Inventory of Criteria	
	and Precursor Pollutants5.	5-36
Table 5.5-24	2018 Alternative C3b EDMS Dispersion Analysis	
	of Criteria Pollutants5.	5-37
Table 5.5-25	2012 & 2018 General Conformity Comparative Analysis for	
	Project and Construction Emissions5.	5-39
Table 5.5-26	MORPC Transportation Improvement Program (TIP) Air Quality	
	Analysis for the Columbus Ozone and PM _{2.5}	
	Nonattainment Areas5.	5-41
Table 5.5-27	2009 & 2010 EDMS Airport Emissions Inventory and	
	Construction Emissions Inventory5.	5-43
Table 5.5-28	Maximum Modeled Pollutant Concentrations5.	5-45
Table 5.5-29	Background Concentrations for Franklin County5.	
Table 5.5-30	Maximum Design Concentrations5.	5-47
Table 5.6-1	Airport Drainage and Operations that May Impact	
	Water Quality	5.6-8
Table 5.6-2	Final NPDES Permit Requirements5.	
Table 5.6-3	Ohio EPA Use Designations for Segments of Big Walnut Creek,	
	Mason Run, Turkey Run, and Alum Creek5.	6-23
Table 5.6-4	Wastewater Discharge Permit5.	
Table 5.6-5	Summary of Water Quantity Mitigation Commitments5.	6-34

	<u>PAGE</u>
CHAPTER FI	<u>VE – ENVIRONMENTAL CONSEQUENCES, Continued</u>
Table 5.7-1	Historic Resources Identified in the Area of Potential Effect 5.7-3
Table 5.7-2	Section 4(f) and Section 6(f) Resources in the
	General Study Area 5.7-5
Table 5.7-3	Summary of Noise Impacts to Section 4(f) and 6(f) Sites 5.7-7
Table 5.7-4	Summary of Noise Impacts to Section 4(F)
	and Historic Structures 5.7-8
Table 5.8-1	Historic Resources Identified in the Area of Potential Effect 5.8-5
Table 5.8-2	Summary of Impacts to Historic Structures 5.8-9
Table 5.9-1	2012 Vegetation Types and Approximate Impacts 5.9-5
Table 5.9-2	2018 Vegetation Types and Approximate Impacts 5.9-7
Table 5.10-1	Wetland Vegetation Types and Ohio EPA
	Classified Wetlands
Table 5.10-2	2012 Impacts to Wetlands and Jurisdictional Waters of
	the U.S. in the DSA
Table 5.10-3	2018 Impacts to Wetlands and Jurisdictional Waters of
	the U.S
Table 5.15-1	Annual Utility Power and Fuel Demand –
14516 5.15 1	Existing (2006) Baseline
Table 5.15-2	Projected Annual Utility Power and Fuel Demand –
	2012 Alternative A: No Action
Table 5.15-3	Projected Annual Utility Power and Fuel Demand –
	2012 Alternative C2a
Table 5.15-4	Projected Annual Utility Power and Fuel Demand –
	2012 Alternative C2b
Table 5.15-5	Projected Annual Utility Power and Fuel Demand –
	2012 Alternative C3a
Table 5.15-6	Projected Annual Utility Power and Fuel Demand –
	2012 Alternative C3b 5.15-10
Table 5.15-7	Projected Annual Utility Power and Fuel Demand –
	2018 Alternative A: No Action 5.15-11
Table 5.15-8	Projected Annual Utility Power and Fuel Demand –
	2018 Alternative C2a 5.15-12
Table 5.15-9	Projected Annual Utility Power and Fuel Demand –
	2018 Alternative C2b
Table 5.15-10	Projected Annual Utility Power and Fuel Demand –
T-61- E 45 44	2018 Alternative C3a
Table 5.15-11	Projected Annual Utility Power and Fuel Demand –
	2018 Alternative C3b 5.15-15

	<u>PAGE</u>
CHAPTER FIVE - ENVIRONMENTAL CONSEQUENCES, Continued	
Table 5.15-12	,
	and Fuel Demand 5.15-16
Table 5.16-1	Existing Airfield Lighting Systems
Table 5.16-2	Distances from MALSR Lights to Nearest Homes by
	Runway End – Existing Conditions5.16-5
Table 5.16-3	Distances from PAPI to Nearest Homes by
	Runway End –Existing Conditions5.16-7
Table 5.16-4	Distances from MALSR Lights to Nearest Homes by
	Runway End – 2012 Alternative C2a Conditions 5.16-15
Table 5.16-5	Distances from PAPI Lights to Nearest Homes by
	Runway End – 2012 Alternative C2a Conditions 5.16-15
Table 5.16-6	Distances from MALSR Lights to Nearest Homes by
	Runway End – 2012 Alternative C3a Conditions 5.16-16
Table 5.16-7	Distances from PAPI Lights to Nearest Homes by
	Runway End – 2012 Alternative C3a Conditions 5.16-16
Table 5.17-1	Summary of Hazardous Materials Concerns 5.17-19
Table 5.17-2	Summary of Mitigation Costs for 2012 Alternative C2a 5.17-24
Table 5.17-3	Summary of Mitigation Costs for 2012 Alternative C3a 5.17-28
Table 5.17-4	Summary of Mitigation Costs for 2018 Alternative C2a 5.17-31
Table 5.17-5	Summary of Mitigation Costs for 2018 Alternative C3a 5.17-32
Table 5.17-6	Existing Disposal Facilities and Capacity 5.17-35
Table 5.18-1	Construction Equipment Noise
Table 5.18-2	Construction Equipment Noise
CHAPTER SI	X – SUMMARY OF IMPACTS AND MITIGATION
Table 6-1	2006 Environmental Impact Summary Matrix 6-5
CHAPTER EIGHT – LIST OF PREPARERS AND LIST OF AGENCIES AND	
	PERSONS TO WHOM COPIES ARE SENT
Table 8.1	List of Preparers 8-2
Table 8.2	Document Distribution List
Table 8.3	Location of Draft FIS for Public Review 8-8

DRAFT ENVIRONMENTAL IMPACT STATEMENT U.S. DEPARTMENT OF TRANSPORTATION SECTION 303(c) and SECTION 106 of the NATIONAL HISTORIC PRESERVATION ACT EVALUATION

U.S. DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION

May 2008

This Draft Environmental Impact Statement (Draft EIS) addresses the environmental impacts associated with replacement of Runway 10R/28L, development of a new passenger terminal, and other associated airport projects at Port Columbus International Airport in the City of Columbus, Ohio. This statement is submitted for review pursuant to major environmental directives to comply with NEPA: Section 102(2)(c) of the National Environmental Policy Act of 1969 (P.L. 91-190); Section 106 consultation for impacts to historic structures, as identified in 36 CFR 800.8, *Coordination with the National Environmental Policy Act*; U.S. Department of Transportation Section 303(c) consultation; and other applicable Federal and state environmental laws, regulations, Executive Orders, and statutes.

The Columbus Regional Airport Authority, the owner and operator of the Port Columbus International Airport, has submitted a proposed project for approval. This Draft EIS assesses the potential impacts that may result from the Sponsor's Proposed Project to replace Runway 10R/28L with a 10,113-foot runway located 702 feet south of the existing runway; construct a new passenger terminal in the midfield area; to implement the recommendations of the 2007 Final Part 150 Study Update; and to develop support infrastructure for the other elements of the Sponsor's Proposed Project.

This Draft EIS also assesses the connected actions to decommission existing Runway 10R/28L, which will be converted into a taxiway; assess the reconstruction of the Airport Golf Course; acquire 36 residential properties located on East 13th Avenue and to relocate the residents of those properties; and the demolition of various structures in the south airfield area.

The Federal Aviation Administration is the lead agency for the Federal government in the preparation of this statement. This document is used to provide the basis for findings for subsequent determinations on funding.





Federal Aviation U.S. De Administration Transpo

U.S. Department of Transportation

For additional information, contact:

Ms. Katherine S. Jones Federal Aviation Administration Detroit Airports District Office 11677 South Wayne Road Suite 107

Romulus, MI 48174

DRAFT ENVIRONMENTAL IMPACT STATEMENT U.S. DEPARTMENT OF TRANSPORTATION SECTION 303(c) and SECTION 106 of the NATIONAL HISTORIC PRESERVATION ACT EVALUATION

U.S. DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION

May 2008


This Draft Environmental Impact Statement (Draft EIS) addresses the environmental impacts associated with replacement of Runway 10R/28L, development of a new passenger terminal, and other associated airport projects at Port Columbus International Airport in the City of Columbus, Ohio. This statement is submitted for review pursuant to major environmental directives to comply with NEPA: Section 102(2)(c) of the National Environmental Policy Act of 1969 (P.L. 91-190); Section 106 consultation for impacts to historic structures, as identified in 36 CFR 800.8, *Coordination with the National Environmental Policy Act*; U.S. Department of Transportation Section 303(c) consultation; and other applicable Federal and state environmental laws, regulations, Executive Orders, and statutes.

The Columbus Regional Airport Authority, the owner and operator of the Port Columbus International Airport, has submitted a proposed project for approval. This Draft EIS assesses the potential impacts that may result from the Sponsor's Proposed Project to replace Runway 10R/28L with a 10,113-foot runway located 702 feet south of the existing runway; construct a new passenger terminal in the midfield area; to implement the recommendations of the 2007 Final Part 150 Study Update; and to develop support infrastructure for the other elements of the Sponsor's Proposed Project.

This Draft EIS also assesses the connected actions to decommission existing Runway 10R/28L, which will be converted into a taxiway; assess the reconstruction of the Airport Golf Course; acquire 36 residential properties located on East 13th Avenue and to relocate the residents of those properties; and the demolition of various structures in the south airfield area.

The Federal Aviation Administration is the lead agency for the Federal government in the preparation of this statement. This document is used to provide the basis for findings for subsequent determinations on funding.







U.S. Department of Transportation

For additional information, contact:

Ms. Katherine S. Jones Federal Aviation Administration Detroit Airports District Office 11677 South Wayne Road Suite 107

Romulus, MI 48174

DRAFT ENVIRONMENTAL IMPACT STATEMENT U.S. DEPARTMENT OF TRANSPORTATION SECTION 303(c) and SECTION 106 of the NATIONAL HISTORIC PRESERVATION ACT EVALUATION

U.S. DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION

May 2008

This Draft Environmental Impact Statement (Draft EIS) addresses the environmental impacts associated with replacement of Runway 10R/28L, development of a new passenger terminal, and other associated airport projects at Port Columbus International Airport in the City of Columbus, Ohio. This statement is submitted for review pursuant to major environmental directives to comply with NEPA: Section 102(2)(c) of the National Environmental Policy Act of 1969 (P.L. 91-190); Section 106 consultation for impacts to historic structures, as identified in 36 CFR 800.8, *Coordination with the National Environmental Policy Act*; U.S. Department of Transportation Section 303(c) consultation; and other applicable Federal and state environmental laws, regulations, Executive Orders, and statutes.

The Columbus Regional Airport Authority, the owner and operator of the Port Columbus International Airport, has submitted a proposed project for approval. This Draft EIS assesses the potential impacts that may result from the Sponsor's Proposed Project to replace Runway 10R/28L with a 10,113-foot runway located 702 feet south of the existing runway; construct a new passenger terminal in the midfield area; to implement the recommendations of the 2007 Final Part 150 Study Update; and to develop support infrastructure for the other elements of the Sponsor's Proposed Project.

This Draft EIS also assesses the connected actions to decommission existing Runway 10R/28L, which will be converted into a taxiway; assess the reconstruction of the Airport Golf Course; acquire 36 residential properties located on East 13th Avenue and to relocate the residents of those properties; and the demolition of various structures in the south airfield area.

The Federal Aviation Administration is the lead agency for the Federal government in the preparation of this statement. This document is used to provide the basis for findings for subsequent determinations on funding.





Federal Aviation Administration

U.S. Department of Transportation

For additional information, contact:

Ms. Katherine S. Jones Federal Aviation Administration Detroit Airports District Office 11677 South Wayne Road Suite 107

Romulus, MI 48174

ACRONYMS

AAF Aircraft Anti-Icing Fluid

AC Advisory Circular

ACHP Advisory Council on Historic Preservation

ACM Asbestos Containing Materials

ADF Aircraft De-Icing Fluid

AEO Airport Environs Overlay

AEPOhio American Electric Power Ohio

AGL Above Ground Level

AIP Airport Improvement Program

ALP Airport Layout Plan

ALS Approach Lighting System

ALUMD Airport Land Use Management District

ANCA Airport Noise and Capacity Act of 1990

ANOMS Aircraft Noise and Operations Monitoring System

AOA Airport Operations Area

APE Area of Potential Effect

APM Automated People Mover

APU Auxiliary Power Unit

AQCR Air Quality Control Region

ARFF Aircraft Rescue and Fire Fighting

ASA Airport Service Area

ASNA Aviation Safety and Noise Abatement Act

AST Aboveground Storage Tank

ASV Annual Service Volume

ATC Air Traffic Control

Landrum & Brown Acronyms
May 2008 Page i

ATCT Air Traffic Control Tower (or Airport Traffic Control Tower)

AvGas Low-lead aviation gasoline

BMPs Best Management Practices

BOD Biochemical Oxygen Demand

BOD5 5-Day Biochemical Oxygen Demand

BTEX Benzene, Tolunene, Ethylbenzene, and Xylene

BTU British Thermal Units

BUSTR The Bureau of Underground Storage Tanks Regulations

CAA Clean Air Act

CAK Akron-Canton Airport

CBOD5 Five-Day Carbonaceous Biochemical Oxygen Demand

CDA Continuous Descent Approach

CDM Camp Dresser & McKee

CDRPGD City of Columbus Recreation and Parks Department Golf Division

CEQ Council on Environmental Quality

CERCLA Comprehensive Environmental Response, Compensation, and

Liability Act

CERFA Community Environmental Response Facilitation Act

CFR Code of Federal Regulations

CFS Cubic Feet per Second

CIAC Columbus International Air Center

CLE Cleveland Hopkins International Airport

CMH Port Columbus International Airport

CO Carbon Monoxide

CRAA Columbus Regional Airport Authority

CSP Columbus Southern Power

Landrum & Brown May 2008

CVG Cincinnati/Northern Kentucky International Airport

CWA Clean Water Act (Federal Water Pollution Control Act, as amended)

CZMA Coastal Zone Management Act

CY Calendar Year

CY Cubic Yards

DAPC Division of Air Pollution Control

DAY Dayton International Airport

Day 7:00 a.m. to 9:59 p.m.

Db Decibel

dBA A-weighted decibel

DCA Dichloroethane

DME Distance Measuring Equipment

DNL Day-Night Average Sound Level

DOSD Division of Sewage and Drainage

DOT Department of Transportation

DPSHOP Detail Print Shop

DRO Diesel Range Organics

DSA Detailed Study Area

EA Environmental Assessment

EDDA Environmental Due Diligence Audits

EDMS Emission & Dispersion Modeling System

EDR Environmental Data Resources

EIS Environmental Impact Statement

EMT Emergency Medical Technicians

EPA Environmental Protection Agency

Landrum & Brown Acronyms
May 2008 Page iii

EO Executive Order

ESA Endangered Species Act

FAA Federal Aviation Administration

FAR Federal Aviation Regulations

FBO Fixed-Base Operator

FEMA Federal Emergency Management Agency

FICON Federal Interagency Committee on Noise

FICUN Federal Interagency Committee on Urban Noise

FIRM Flood Insurance Rate Maps

FIS Federal Inspection Services

FPPA Farmland Protection Policy Act

FY Fiscal Year

GA General Aviation

GB Gigabyte

GIS Geographic Information System

GMP Gross Metropolitan Product

GPS Global Positioning System

GSA General Study Area

GSE Ground Support Equipment

HIRL High Intensity Runway Lights

HSWA Hazardous and Solid Waste Amendments of 1984

HUD U.S. Department of Housing and Urban Development

HVAC Heating, Ventilating, and Air Conditioning

IFR Instrument Flight Rules

ILS Instrument Landing System

Landrum & Brown

May 2008

Acronyms

Page iv

INM Integrated Noise Model

ISR Indirect Source Review

Jet A Jet fuel

LCK Rickenbacker International Airport

Leq Equivalent Sound Level

Lmax Maximum Noise Level

LOC Localizer

LOS Level of Service

LTO Landing and Takeoff Cycle

LWCA Land and Water Conservation Act

MAEP Million Annual Enplaned Passengers

MALSR Medium Intensity Approach Lighting System with Runway Alignment

Indicator Lights

MBTU Million British thermal units

MGD Million Gallons per Day

mg/L Milligrams per liter

MOA Memorandum of Agreement

MORPC Mid-Ohio Regional Planning Commission

MSA Metropolitan Statistical Area

MSL Mean Sea Level

MW Megawatts

NAAQS National Ambient Air Quality Standards

NAS-A Noise Abatement Procedure Scenario

NAVAID Navigational Aid

NCDC National Climatic Data Center

NCP Noise Compatibility Program

Landrum & Brown
May 2008
Acronyms
Page v

NEM Noise Exposure Map

NEPA National Environmental Policy Act of 1969

NFA No Further Action

NHPA National Historic Preservation Act

Night 10:00 p.m. to 6:59 a.m.

NLR Noise Level Reduction

NMFS National Marine Fisheries Service

NOAA National Oceanic and Atmospheric Administration

NOI Notice of Intent

NO₂ Nitrogen Dioxide

NO_x Nitrogen Oxides

NOP No Precipitation

NPDES National Pollution Discharge Elimination System

NPIAS National Plan of Integrated Airport Systems

NRC National Response Center

NRCS Natural Resources Conservation Service

NRHP National Registry of Historic Places

NRI Nationwide Rivers Inventory

NWSFO National Weather Service Forecast Office

 O_3 Ozone

O&D Origin & Destination (passengers)

OAC Ohio Administrative Code

OAG Official Airline Guide

ODNR Ohio Department of Natural Resources

OEPA Ohio Environmental Protection Agency

Landrum & Brown Acronyms
May 2008 Page vi

OHPO Ohio Historic Preservation Office

ORDC Ohio Rail Development Commission

OSU Ohio State University Airport

OTR Ozone Transport Region

OVAP Ohio Voluntary Action Program

PAH Polycyclic Aromatic Hyrdrocarbons

PAPI Precision Approach Path Indicator

Pb Lead

PCB Polychlorinated Biphenyls

PFC Passenger Facility Charges

PM Particulate Matter (PM₁₀ & PM_{2.5})

PMADP Program Management Airport Development Plan

PPA Pollution Prevention Act

PRM Precision Runway Monitor

PUBGx Palustrine, Excavated, Unconsolidated Bottom Systems with an

Intermittently Exposed Hydrologic Regime

RAC Rental Car Facility

RAM Random Access Memory

RCRA Resource Conservation and Recovery Act

RNAV Area Navigational System

RNP Required Navigation Performance

ROA Record of Approval (issued by FAA on a Part 150 Noise Compatibility Program)

ROD Record of Decision (issued by FAA on an EIS)

ROFA Runway Object Free Areas

RON Remain Overnight

RPZ Runway Protection Zone

Landrum & Brown Acronyms
May 2008 Page vii

RQ Reportable Quantity

RSA Runway Safety Areas

RVR Runway Visual Range

SARA Superfund Amendments and Reauthorization Act

SEL Sound Exposure Level

SHPO State Historic Preservation Office

SIP State Implementation Plan

SO₂ Sulfur Dioxide

SO_x Sulfur Oxide

SPCC Oil Spill Prevention Control and Countermeasure Program

STAR Standard Terminal Arrival Route

SWAC Solid Waste management Advisory Council

SWACO Solid Waste Authority of Central Ohio

SWMM Stormwater Management Model

SWMMD Solid Waste Management Districts

SWMMP Stormwater Management Master Plan

SWPPP Stormwater Management Prevention Plan

SWWTP Southerly Wastewater Treatment Plan

SVOC Semi-Volatile Organic Compounds

TA Time Above

TA-65 Time Above 65 dB

TAF Terminal Area Forecast (prepared by the FAA)

TBD To Be Determined

TCE Trichloroethylene

THPO Tribal Historic Preservation Office

Landrum & Brown Acronyms
May 2008 Page viii

ACRONYMS, Continued

TIP Transportation Improvement Program

TKN Total Kjeldahl Nitrogen

TOFA Taxiway Object Free Areas

TPH Total Petroleum Hydrocarbon

TOL Toledo Express Airport

TSCA Toxic Substances Control Act of 1976

TSS Total Suspended Solids

TZR Bolton Field Airport

USACOE U.S. Army Corps of Engineers

USC U.S. Code

USCG U.S. Coast Guard

USEPA U.S. Environmental Protection Agency

USFWS U.S. Fish and Wildlife Service

USGS U.S. Geological Service

UST Underground Storage Tank

VA Department of Veterans Affairs

VFR Visual Flight Rules

VOC Volatile Organic Compounds

WCA Water Conservation Areas

WSO Weather Service Office

WWTP Wastewater Treatment Plan

YNG Youngstown-Warren Regional Airport

Landrum & Brown

May 2008

Acronyms

Page ix

GLOSSARY OF TERMS

Airport planning and the Environmental Impact Statement (EIS) process require the use of many technical terms. Some of the most important are defined in this section. Terms in **bold italics** are defined separately in this glossary.

Air Carrier Aircraft – Generally, U.S. registered large (12,500 pounds or more, by FAA definition) transport category civil aircraft (excluding single-engine) of designated class and type, that support scheduled passenger-carrying and cargo operations in air commerce, pursuant to a *Federal Aviation Administration* air carrier certificate issued under 14 CFR Parts 119 and 121 of the *Federal Aviation Regulations*, (see 14 CFR § 119.3, for Domestic, Flag, and Supplemental definitions).

Air Route Traffic Control Center (ARTCC or Center) - A Federal Aviation Administration facility established to provide air traffic control service to aircraft operating on Instrument Flight Rules flight plans within controlled airspace, principally during the en route phase of flight. When equipment capabilities and controller workload permit, certain advisory and assistance services may be provided to Visual Flight Rules aircraft.

Air Taxi Aircraft – A term no longer used by the **Federal Aviation Administration**, though still used by the U.S. Department of Transportation (USDOT). The **Federal Aviation Administration** uses the term "on demand" to describe those operations formerly described as "air taxi."

Air Traffic - Aircraft operating in the air or on an airport surface, exclusive of loading ramps and parking areas.

Air Traffic Control (ATC) - An FAA service operated for the public, to ensure adequate separation of aircraft and to promote the safe, orderly, and expeditious flow of air traffic. The air traffic facility with jurisdiction over mapped and designated airspace may authorize aircraft to proceed under specified traffic conditions within *controlled airspace*.

Airport Traffic Control Tower (ATCT) - An *air traffic control* facility established on an airport to provide for safe, orderly, and expeditious flow of air traffic arriving at and departing from an airport, including airport surface areas such as runways and taxiways.

Air Traffic Service (ATS) Routes - "ATS route," a generic term, includes "VOR Federal airways," "colored Federal airways," "alternate airways," "jet routes," "Military Training Routes," "named routes," and "RNAV routes." The term "ATS route" serves as an overall title for listing the types of routes that comprise the United States route structure.

Aircraft Approach Category - A grouping of aircraft based on a speed calculation that takes into account the stall speed in the landing configuration at maximum gross landing weight. An aircraft must fit only one category; its category determines speed minimums that must be observed for various maneuvers. For

example, an aircraft which falls in *Category A*, but is circling to land at a speed in excess of 91 knots, must use the approach *Category B* minimums when circling to land. The categories are: *Category A* - Speed less than 91 knots; *Category B* - Speed 91 knots or more but less than 121 knots; *Category C* - Speed 121 knots or more but less than 141 knots; *Category D* - Speed 141 knots or more but less than 166 knots; *Category E*- Speed 166 knots or more. (*See* 14 CFR Part 97.)

Aircraft Classes - For the purposes of wake turbulence aircraft separation minimums, ATC classifies aircraft as (a) *Heavy* - Aircraft capable of takeoff weights of more than 255,000 pounds whether or not they are operating at this weight during a particular phase of flight, (b) *Large* - Aircraft of more than 41,000 pounds, maximum certificated takeoff weight, up to 255,000 pounds, or (c) *Small* - Aircraft of 41,000 pounds or less maximum certificated takeoff weight.

Aircraft Rescue and Fire-Fighting (ARFF) - The department at an airport dedicated to protecting life and property, controlling fire hazards, and performing general duties related to airport operations and aircraft safety.

Airman's Information Manual (AIM) - A publication containing basic flight information and *air traffic control* procedures, designed primarily as a pilot's information and instructional manual for use in the *National Airspace System*.

Airport Arrival Rate (AAR) - A dynamic input parameter specifying the number of arriving aircraft which an airport or airspace can accept from the *Air Route Traffic Control Center* per hour. The AAR is used to calculate the desired interval between successive arrival aircraft.

Airport Departure Rate - A dynamic parameter specifying the number of aircraft per hour that can depart from an airport and be accepted into the airspace.

Airport Elevation - The highest point on an airport's usable runways, expressed in feet above *mean sea level*.

Airport Improvement Program (AIP) - A Federal funding program for airport improvements. AIP is periodically reauthorized by Congress with funding appropriated from the Aviation Trust Fund. Proceeds to the Aviation Trust Fund are derived from excise taxes on airline tickets, aviation fuel, etc.

Airport Layout Plan (ALP) - A scaled drawing of existing and proposed land and facilities necessary for the operation and development of the airport. The ALP shows boundaries and proposed additions to all areas owned or controlled by the airport operator for airport purposes, the location and nature of existing and proposed action, and the location on the airport of existing and proposed non-aviation areas and improvements thereon.

Airport Operations – The total takeoffs (departures) and landings (arrivals) from an airport.

Airport Reference Code (ARC) - A coding system used to relate airport design criteria to the operational and physical characteristics of the **design aircraft** intended to operate at the airport (i.e. the most critical aircraft type currently

using, or projected to use, an airport, with a minimum of 500 operations per year). ARC can either be one aircraft or a group of aircraft. The first component of the ARC is a capital letter (A, B, C, D, or E with "A" being the lowest, and "E" being the highest), which refers to the aircraft approach speed in its landing configuration. The second component, which is depicted by a Roman numeral (I, II, III, IV, V, VI, with "I" being the lowest and "VI" being the highest), refers to aircraft wingspan. Together, the two components relate aircraft operational and physical characteristics to the required design criteria of various airport components, such as runway/taxiway widths, runway to taxiway separation standards, and obstacle clearance items. Under this methodology, safety margins are provided in the physical design of airport facilities.

Airport Surveillance Radar (ASR) - Approach control radar used by air traffic controllers to detect and display an aircraft's position in the airport terminal area. ASR provides range (distance) and *azimuth* (direction) information with regard to arriving or departing aircraft.

Air Traffic Service (ATS) Routes - "ATS route," a generic term, includes "VOR Federal airways," "colored Federal airways," "alternate airways," "jet routes," "Military Training Routes," "named routes," and "RNAV routes." The term "ATS route" serves as an overall title for listing the types of routes that comprise the United States route structure.

Airway - A corridor of *controlled airspace* whose centerline is established by radio *navigational aids*. Low altitude airways (between 3,000 and 18,000 feet **Mean Sea Level**) are identified by number with the letter V as a prefix. High altitude airways (above 18,000 feet *Mean Sea Level*) are known as Jet airways and are identified by number with the letter J as a prefix.

Ambient Noise - The total sum of noise from all sources in a given place and time. This is also known as **Existing Ambient Noise**. See also **Natural Ambient Noise**.

Annual Service Volume (ASV) – A reasonable estimate of an airport's annual capacity. It accounts for differences in runway use, aircraft mix, weather conditions, etc, that would be encountered over a year's time.

Approach Light Systems (ALS) - One of various lighting aids that may be installed on an airport. The ALS is a series of lights that provide visual guidance to landing aircraft by radiating light beams in a directional pattern, to assist the pilot when aligning aircraft with the extended runway centerline on *final approach*.

Area Navigation (RNAV) - A method of navigational procedures designed to transition aircraft between an airport environment and the *en route system* of airspace. RNAV procedures offer the advantages of routings that save time and fuel, reduce dependence on radar vectoring, altitude, and speed assignments, which allows for reduction in required radio transmissions with *Air Traffic Control*, and more efficient use of airspace.

Attenuation - Acoustical phenomenon whereby **sound** energy is reduced between the noise source and the receiver. This energy loss can be attributed to atmospheric conditions, terrain, vegetation, other natural features, and man-made features (e.g., sound insulation).

A-Weighted Sound (dBA) - A system for measuring **sound** energy that is designed to represent the response of the human ear to sound. Energy at frequencies more readily detected by the human ear is more heavily weighted in the measurement, while frequencies less well detected are assigned lower weights. A-weighted **sound** measurements are commonly used in studies where the human response to **sound** is the object of the analysis.

Azimuth - An arc of the horizon measured between a fixed point (such as true north) and the vertical circle passing through the center of an object.

Base Flight Segment – A flight path at right angles to the landing runway off its approach end. The base segment normally extends from the downwind segment to the intersection of the extended runway centerline.

Base leg - A flight path at right angles to the approach of a runway end. It usually extends from the downwind leg to the intersection of the extended runway centerline.

Baseline Condition - The existing condition or conditions prior to future development, which serve as a foundation for analysis.

Building Restriction Line (BRL) - A line drawn on an *airport layout plan* that distinguishes between areas that are suitable for buildings and areas that are unsuitable. Typically, a 35-foot building height is used to ensure that all the surfaces in 14 CFR Part 77 are clear.

Commuter Aircraft - Generally, aircraft of designated size or seating capacity (usually nine or fewer seats) that support scheduled air transportation services for compensation or hire in air commerce, with a frequency of at least five round trip operations per week on at least one route according to a published flight schedule. Commuter aircraft operate pursuant to a *Federal Aviation Administration* air carrier certificate issued under 14 CFR Parts 119 and 135 of the *Federal Aviation Regulations*. (See 14 CFR § 119.3, Definitions.) Regional jets (RJs) are not "commuters," because they are large transport category aircraft and fall within the Federal Aviation Administration's air carrier aircraft category.

Contour - See Noise Contour.

Controlled Airspace - An airspace of defined dimensions within which *air traffic control* service is provided to flights operating under both *Instrument Flight Rules* and *Visual Flight Rules* in accordance with the airspace classification. Controlled airspace designated as Class *A*, Class *B*, Class *C*, Class *D*, and Class *E*, generally according to altitude above the surface, distance from a primary airport,

and volume of aircraft operations. Controlled airspace is also that airspace within which all aircraft operators are subject to certain pilot qualifications, operating rules, and equipment requirements (for specific operating requirements, *see* 14 CFR Part 91).

Crosswind leg - A flight path at right angles to the approach runway end off of the upwind end.

Day-Night Average Sound Level (DNL) - A noise measure used to describe the average *sound* level over a 24-hour period, typically an average day over the course of a year. In computing DNL, an extra weight of ten *decibels* is assigned to noise occurring between the hours of 10:00 p.m. and 7:00 a.m. to account for increased annoyance when ambient noise levels are lower and people are trying to sleep. DNL may be determined for individual locations or expressed in noise contours.

dBA - See A-weighted Sound Level

Decibel (dB) - **Sound** is energy and is measured by its pressure. Because of the enormous range of **sound** pressures to which the human ear is sensitive, the raw sound pressure measurement is converted to the **decibel** scale for purposes of description and analysis. The **decibel** scale is logarithmic. A ten-**decibel** increase in **sound** is perceived as a doubling of sound (or twice as loud) by the human ear.

Declared Distances – The distance the airport owner declares available for the airplane's takeoff run, takeoff distance, accelerate-stop distance, and landing distance requirements.

Departure Fix – A departure fix, or so-called departure gate, is a section of airspace used to separate departing from arriving aircraft. This fix determines the initial flight path and direction of the aircraft.

Design Aircraft - The most critical aircraft type currently using, or projected to use, an airport, with a minimum of 500 operations per year. It can either be one aircraft or a group of aircraft. *See* also *Airport Reference Code*.

Detailed Study Area - One of the areas identified for detailed environmental investigation as part of this *Environmental Impact Statement*. This *study area* is smaller in scale than the *General Study Area* to accommodate the more detailed analyses. (*See General Study Area*.)

Displaced Threshold - A threshold that is located at a point on the runway other than the designated beginning of the runway. The portion of pavement behind a displaced threshold may be available for takeoffs in both directions and landings from the opposite direction.

Distance Measuring Equipment (DME) - A flight instrument that measures the line-of-sight distance of an aircraft from a navigational radio station in *nautical miles*.

Double-Clear Zone - An area on the ground, up to 1,250 feet from each side of the runway centerline and extending 5,000 feet beyond each end of the primary runway surface. It is also known as the Approach Transitional Area for runways serving or anticipated to serve *turbojet* aircraft or having an existing or planned runway with an *instrument approach*.

Downwind Approach/Arrival – A flight path parallel to the landing runway in the direction opposite to landing.

Easement - The legal right of one party to use part of the rights of a piece of real estate belonging to another party. This may include, but is not limited to, the right of passage over, on or below the property; certain air rights above the property, including view rights; and the rights to any specified form of development or activity.

Engine Run-ups – A routine procedure for testing aircraft systems by running one or more engines at a high power setting. Engine run-ups are normally conducted by airline maintenance personnel checking an engine or other on board systems following maintenance.

Enplanements - The number of revenue passengers boarding an aircraft at an airport.

EnRoute Air Traffic Control System - Unlike *airport traffic control tower* or terminal radar approach control service, *Air Route Traffic Control Centers* provide enroute service, generally for aircraft on *Instrument Flight Rules* flight plans, when these aircraft are operating between departure and destination airports at designated higher altitudes. When equipment, capabilities, and controller workload permit, certain advisory/assistance services may be provided to *Visual Flight Rules* aircraft. Enroute airspace is that airspace not delegated to approach control.

Environmental Impact Statement (EIS) - As stated in CEQ regulation 40 CFR § 1508.11, a detailed written statement that complies with NEPA section 102 (42 USC § 4332) by including in every report on proposals for major Federal actions significantly affecting the quality of the human environment, a detailed statement on (i) environmental impact of the proposed action, (ii) any adverse environmental effects which cannot be avoided should the proposal be implemented, (iii) alternatives to the proposal, (iv) relationship between local short-term uses of the environment and maintenance and enhancement of long-term productivity, and (v) any irreversible and irretrievable commitment of resources involved in the proposed action, should it be implemented.

Equivalent Sound Level (Leq) - The *A-weighted* energy average *sound* level experienced over a given period of time. The metric is expressed as ten times the log of the total noise energy divided by the number of seconds during the period under consideration.

Federal Aviation Administration (FAA) - The FAA is the Federal agency responsible for insuring the safe and efficient use of the nation's airspace, for fostering civil aeronautics and air commerce, and for supporting the requirements

of national defense. The activities required to carry out these responsibilities include: safety regulations, airspace management and the establishment, operation and maintenance of a system of *air traffic control* and navigation facilities; research and development in support of the fostering of a national system of airports, promulgation of standards and specifications for civil airports, and administration of Federal grants-in-aid for developing public airports; various joint and cooperative activities with the Department of Defense, and technical assistance (under State Department auspices) to other countries.

Federal Aviation Regulations (FAR) - The body of Federal regulations enacted by the U.S. Secretary of Transportation, under the statutory authority of the Federal Aviation Act and published in Title 14 of the Code of Federal Regulations (CFR).

Final Approach - A flight path in the direction of landing that follows the extended runway centerline. It usually extends from the **base leg** to the runway.

Finding of No Significant Impact (FONSI) - As stated in CEQ regulation 40 CFR § 1508.13, a statement by a Federal agency briefly describing why an action will not have a significant effect on the human environment, supported by an environmental assessment or other appropriate document.

Fix – An imaginary point in the airspace, which describes a geographical position determined through (i) visual reference to the surface, (ii) reference to one or more radio *navigational aids*, (iii) celestial plotting, or (iv) another navigational device.

Fixed-Base Operator (FBO) - A business located on the airport that provides services such as hangar space, fuel, flight training, repair, and maintenance to airport users.

Fleet Mix - The mix or differing types of aircraft operating in a particular airport environment.

Flight Track Utilization - The use of established routes for arrival and departure by aircraft to and from the runways at the airport.

FMS/GPS - Flight Management System/ *Global Positioning System* equipment onboard an aircraft takes advantage of various radio navigation and/or *Global Positioning System* routes to guide the aircraft.

General Aviation Aircraft – Generally, those U.S. registered civil aircraft which operate for private and noncommercial purposes and whose operations are not governed by 14 CFR Parts 119, 121, 125, or 135 of the *Federal Aviation Regulations*. General aviation aircraft range from small single-engine propeller aircraft to large *turbojet* private aircraft.

Glide Slope (GS) - Provides vertical guidance for aircraft during approach and landing. The glide slope consists of the following:

Electronic components emitting signals which provide vertical guidance by reference to airborne instruments during instrument approaches such as *Instrument Landing System*, or visual ground aids, such as *Visual Approach Slope Indicator*, which provide vertical guidance for *visual flight rules* approach or for the visual portion of an *instrument approach* and landing.

Geographic Information Systems (GIS) - An information system that is designed for storing, integrating, manipulating, analyzing, and displaying data referenced by spatial or geographic coordinates.

General Study Area - One of the areas identified for environmental investigation as part of this *EIS*. This study area is larger in scale than the *Detailed Study Area*. (See *Detailed Study Area*.)

Global Positioning System (GPS) - A system of 24 satellites used as reference points to enable navigators equipped with GPS receivers to determine their latitude, longitude, and altitude.

Grid Analysis - A type of aircraft noise analysis that evaluates the noise levels at individual points rather than through generation of *noise contours*.

Ground Effect - Noise *attenuation* attributed to absorption or reflection of noise by man-made or natural features on the ground surface.

Hub - An airport that services airlines that have *hubbing* operations.

Hubbing - A method of airline scheduling that times the arrival and departure of several aircraft in a close period of time in order to allow the transfer of passengers between different flights of the same airline in order to reach their ultimate destination. Several airlines may conduct hubbing operations at an airport.

Infill - Urban development occurring on vacant lots in substantially developed areas; may also include the redevelopment of areas to a greater density.

Instrument Approach - A series of predetermined maneuvers for the orderly transfer of an aircraft under *instrument flight rules* from the beginning of the initial approach to a landing, or to a point from which a landing may be made visually.

Instrument Flight Rules (IFR) - That portion of the *Federal Aviation Regulations* (14 CFR Part 91) specifying the procedures to be used by aircraft during flight in *Instrument Meteorological Conditions*. These procedures may also be used under visual conditions and provide for *positive control* by *Air Traffic Control*. (*See* also *Visual Flight Rules*).

Instrument Landing System (ILS) - An electronic system installed at some airports which helps to guide pilots to runways for landing during periods of limited visibility or adverse weather.

Instrument Meteorological Conditions (IMC) - Weather conditions expressed in terms of visibility, distance from clouds, and cloud ceilings during which all aircraft are required to operate using *Instrument Flight Rules (IFR)*.

Integrated Noise Model (INM) - A computer model developed, updated and maintained by the *Federal Aviation Administration* to predict the noise exposure generated by aircraft *operations*.

Itinerant Operation - An aircraft flight that ends at an airport different from where the flight began.

Knots - Airspeed measured as the distance in *nautical miles* (6,076.1 feet) covered in one hour. (Approximately equal to 1.15 miles per hour.)

Land Use Compatibility - The ability of land uses surrounding the airport to coexist with airport-related activities with minimum conflict.

Landing and Takeoff (LTO) Cycle - The time that an aircraft is in operation at or near an airport. An LTO cycle begins when an aircraft starts its *final approach* (arrival) and ends after the aircraft has made its climb-out (departure).

Ldn - See **DNL**. Ldn is used in place of *DNL* in mathematical equations only.

Leq - See Equivalent Sound Level.

Local Operation - An aircraft flight that begins and ends at the same airport.

Localizer - The component of an *Instrument Landing System* that provides lateral course guidance to the runway.

Loudness - The subjective assessment of the intensity of *sound*.

Maximum Noise Level (Lmax) - The maximum *sound* pressure for a given event adjusted toward the frequency range of human hearing.

Mean Sea Level (MSL) - The average height of the surface of the sea for all stages of the tide; used as a reference for elevations; also called sea level datum.

Medium Intensity Approach Lighting System with Runway Alignment Indicator Lights (MALSR) - A lighting system installed at some airports that pilots use during *instrument approaches* to align the aircraft with the centerline of the runway. Steady-burning white lights are used to create a reference plane and white strobe lights create a sequential flash pattern that rolls toward the *runway threshold*, which is marked by steady-burning green lights. Varying intensity settings allow the approach to be used under changing weather conditions.

Military Operations Area - Airspace established to separate or segregate certain non-hazardous military activities from *Instrument Flight Rules* traffic and to identify for *Visual Flight Rules* traffic where these activities are conducted.

Missed Approach - A maneuver conducted by a pilot when an *instrument approach* cannot be completed for landing at an airport. *Instrument approach* procedure charts show the route of flight and altitude that the pilot must follow in this circumstance.

National Airspace System (NAS) - The common network of U.S. airspace, air navigation facilities, equipment, services, airports, or landing areas; aeronautical charts, information, and services; rules, regulations, and procedures; technical information, manpower, and materials, all of which are used in aerial navigation to provide a safe and efficient flying environment.

National Environmental Policy Act of 1969 (NEPA) - The original legislation establishing the environmental review process for proposed Federal actions.

Nautical Mile - A measure of distance equal to one minute of arc on the earth's surface (6,076.1 feet or 1,852 meters).

Natural Ambient Noise - Existing Ambient Noise, minus manmade sounds. See **Ambient Noise** and **Existing Ambient Noise**.

NAVAIDs (Navigational Aids) - Any facility used by an aircraft for navigation.

Navigational Fix - A geographical position determined by reference to one or more radio navigational aids.

Noise Abatement - A measure or action that minimizes the amount of impact of noise on the environs of an airport. Noise abatement measures include aircraft operating procedures and use or disuse of certain runways or *flight tracks*.

Noise Contour - A map representing average annual noise levels summarized by lines connecting points of equal noise exposure.

Nondirectional Beacon (NDB) - A beacon transmitting non-directional signals whereby the pilot of an aircraft equipped with direction finding equipment can determine the bearing to and from the station. When the radio beacon is installed in conjunction with the *Instrument Landing System* marker, it is normally called a compass locator.

Nonprecision Approach - A standard *instrument approach* procedure providing runway alignment but no *glide slope* or descent information.

On-Demand - Generally, U.S. registered civil aircraft of designated size (usually 30 or fewer passenger seats with payload capacity of 7,500 pounds or less) that support on-demand, unscheduled, or infrequently scheduled passenger-carrying or cargo service (including public charters) for compensation or hire, pursuant to a air carrier certificate issued under 14 CFR Parts 119 and 135 of the Federal Aviation Regulations. (See 14 CFR § 119.3, Definitions.) This term includes operations formerly classified as air taxi, a term no longer used by the **Federal Aviation Administration** but still used by the U.S. Department of Transportation (USDOT).

Outer Fix - An *air traffic control* term for a point in the airspace from which aircraft are normally cleared to the approach fix or *final approach* course.

Outer Marker (OM) - An *Instrument Landing System* navigation facility in the terminal area navigation system located four to seven miles from the runway edge on the extended centerline indicating to the pilot that he/she is passing over the facility and can begin final approach.

Positive Control - The separation of all air traffic within designated airspace as directed by *air traffic controllers*.

Precision Approach Path Indicator (PAPI) - Provides visual approach slope guidance to aircraft during an approach. It is similar to a *Visual Approach Slope Indicator* but provides a sharper transition between the colored indicator lights.

Precision Approach Procedure - A standard *instrument approach* procedure in which an electronic *glide slope*/glide path is provided (e.g., *Instrument Landing System* and *Precision Approach Radar*).

Precision Approach Radar (PAR) - Navigational equipment located on the ground adjacent to the runway, consisting of one antenna, which scans the vertical plane, and a second antenna, which scans the horizontal plane. The PAR provides the controller with a picture of the descending aircraft in *azimuth*, distance, and elevation, permitting an accurate determination of the aircraft's alignment relative to the runway centerline and the *glide slope*.

Profile - The position of the aircraft during an approach or departure in terms of altitude above the runway and distance from the runway end.

Propagation - *Sound* propagation is the spreading or radiating of sound energy from the noise source. It usually involves a reduction in sound energy with increased distance from the source. Atmospheric conditions, terrain, natural objects, and manmade objects affect sound propagation.

Public Use Airport - An airport open to public use without prior permission, and without restrictions within the physical capabilities of the facility. It may or may not be publicly-owned.

Record of Decision (ROD) - As stated in CEQ regulation 40 CFR § 1505.2, the *Federal Aviation Administration's* findings, explanations, and related justifications after review of a Draft Environmental Assessment or *Environmental Impact Statement*. The ROD specifies the environmentally preferred alternative.

Regional Jet - A jet aircraft that falls within the air carrier aircraft category because of size and payload. For use in air commerce, the *regional jet* must be operated pursuant to an air carrier certificate pursuant to an air carrier certificate issued under 14 CFR Parts 119 and 121 of the *Federal Aviation Regulations*. (See 14 CFR § 119.3, for Domestic, Flag, and Supplemental operations). Regional jets are not operated as commuter aircraft pursuant to 14 CFR Part 135. Regional jets are typically jet aircraft, with approximately 35 to 90 seats. The next-generation regional jets are expected to seat 100 passengers.

Reliever Airport - An airport which, when certain criteria are met, relieves the aeronautical demand on a busier air carrier airport.

Retrofitted Aircraft - An aircraft originally certified as **Stage 2** that has been modified to meet **Stage 3** requirements. This includes both modification of engines or the replacement of engines to meet the **Stage 3** standard.

RNAV - See Area Navigation.

Run-up - A routine procedure for testing aircraft systems by running one or more engines at a high power setting. *Engine run-ups* are normally conducted by airline maintenance personnel checking an engine or other on board systems following maintenance.

Runway End Identifier Lights (REIL) - Two synchronized flashing lights, one on each side of the *runway threshold*, which identify the approach end of the runway.

Runway Protection Zone (RPZ) - An area, trapezoidal in shape and centered about the extended runway centerline, designated to enhance the protection of people and property on the ground. It begins 200 feet (60 M) beyond the end of the area usable for takeoff or landing. The RPZ dimensions are functions of the aircraft, type of operation, and visibility minimums. (Formerly known as the clear zone.)

Runway Safety Area (RSA) - A defined surface surrounding the runway prepared or suitable for reducing the risk or damage to airplanes in the event of an undershoot, overshoot, or excursion from the runway.

Runway Threshold - The beginning of that portion of the runway usable for landing.

Scoping - Scoping is an early and open process for determining the scope or range of issues to be addressed in the *Environmental Impact Statement* and identifying the significant issues related to a proposed action. Issues important to the public and local, state, and Federal agencies are solicited through direct mailing, public notices, or meetings. Scoping is generally conducted before development of the *Environmental Impact Statement* scope of work.

Single event - One noise event. For many kinds of analysis, the **sound** from single events is expressed using the **Sound Exposure Level** metric.

Slant-range distance - The distance along a straight line between an aircraft and a point on the ground.

Sound - Sound is the result of vibration in the air. The vibration produces alternating bands of relatively dense and sparse particles of air, spreading outward from the source in the same way as ripples do on water after a stone is thrown into it. The result of the movement is fluctuation in the normal atmospheric pressure or sound waves.

Sound Exposure Level (SEL) - A standardized measure of a *single (sound) event*, expressed in *A-weighted decibels*, that takes into account all sound above a specified threshold set at least ten *decibels* below the maximum level. All sound energy in the event is integrated over one second.

Special Use Airspace - Airspace of defined dimensions identified by an area on the earth's surface wherein activities must be confined because of their nature and/or wherein limitations may be imposed upon aircraft *operations*, which are not part of those activities.

Stage 2 Aircraft - Aircraft that meet the noise levels prescribed by *Federal Aviation Regulations* 14 CFR Part 36, which are less stringent than those established for the quieter *Stage 3* designation. The Airport Noise and Capacity Act required the phase-out of all Stage 2 aircraft over 75,000 pounds by December 31, 1999, with the potential for case-by-case exceptions through the year 2003.

Stage 3 Aircraft - Aircraft that meet the most stringent noise levels set in *Federal Aviation Regulations* 14 CFR Part 36.

Standard Instrument Departure Procedure (SID) - A planned *Instrument Flight Rules air traffic control* departure procedure published for pilot use in graphic and textual form. SIDs provide transition from the terminal to the en route *air traffic control* structure.

Standard Terminal Arrival Route (STAR) - A planned *Instrument Flight Rules air traffic control* arrival procedure published for pilot use in graphic and textual form. STARs provide transition from the en route *air traffic control* structure to an *outer fix* or an *instrument approach* fix in the terminal area.

Statute Mile - A measure of distance equal to 5,280 feet.

TACAN - Tactical Air Navigation. A navigational system used by the military. TACAN provides both *azimuth* and distance information to a receiver on board an aircraft.

Terminal Radar Approach Control (TRACON) - A *Federal Aviation Administration Air Traffic Control* Facility which uses radar and two-way communication to provide separation of air traffic within a specified geographic area in the vicinity of one or more airports.

Terminal Radar Service Area (TRSA) - Airspace surrounding certain airports where *Air Traffic Control* provides radar *vectoring*, sequencing, and separation on a full-time basis for all *Instrument Flight Rules* and participating *Visual Flight Rules* aircraft.

Time Above (TA) - The amount of time that **sound** exceeds a given **decibel** level during a 24-hour period (e.g., time in minutes that the sound level is above 75 **decibels**).

Thrust Settings – Settings on an aircraft that control the power applied to the engines.

Traffic Pattern – The traffic flow prescribed for aircraft landing at, taxiing on, or taking off from an airport. The components of a typical traffic pattern are **upwind leg**, **crosswind leg**, **downwind leg**, **base leg**, and **final approach**.

Turbojet - An aircraft powered by a jet turbine engine. The term is customarily used in *air traffic control* for all aircraft, without propellers, that are powered by variants of jet engines, including turbofans.

Turboprop - Aircraft of this type are typically used by airlines on short routes between two relatively close locations.

Traffic Pattern - The traffic flow for aircraft landing and departure at an airport. Typical components of the traffic pattern include: **upwind leg**, **crosswind leg**, **downwind leg**, **base leg**, and **final approach**.

UNICOM - A nongovernment communication facility that may provide information to pilots on UNICOM frequencies at certain towers, generally, those without operating *airport traffic control towers*, or those closed at certain periods of day or night. Aeronautical charts and publications show UNICOM frequencies and locations.

Upwind Leg - A flight path parallel to the approach runway in the direction of approach.

Vector - Compass heading instructions issued by *Air Traffic Control* in providing navigational guidance by radar.

Very High Frequency Omnidirectional Range (VOR) Station - A ground-based radio navigation aid transmitting signals in all directions. A VOR provides *azimuth* guidance to pilots by reception of electronic signals.

Very High Frequency Omnidirectional Range Station with Tactical Air Navigation (VORTAC) - A navigational aid providing *VOR azimuth* and *Tactical Air Navigation distance measuring equipment* at one site.

Visual Approach - An approach conducted on an *Instrument Flight Rules* flight plan, which authorizes the pilot to proceed visually and clear of clouds to the airport.

Visual Approach Slope Indicator (VASI) - A visual aid for final approach to the *runway threshold*, consisting of two wing bars of lights on either side of the runway. Each bar produces a split beam of light - the upper segment is white, the lower is red.

Visual Flight Rules (VFR) - Rules and procedures specified in *Federal Aviation Regulations* 14 CFR Part 91 for aircraft operations under visual conditions. Aircraft operations under VFR are not generally under *positive control* by *Air Traffic Control*. The term VFR is also used in the U.S. to indicate weather conditions that are equal to or greater than minimum VFR requirements. In addition, it is used by pilots and controllers to indicate a type of flight plan.

Visual Meteorological Conditions (VMC) - Weather conditions expressed in terms of visibility, distance from cloud, and cloud ceiling equal to or greater than those specified in *Federal Aviation Regulations* 14 CFR Part 91.155 for aircraft operations under *Visual Flight Rules*.

Yearly Day-Night Average Sound Level - see DNL.